

1 Door Offset Quadrant & 1 Door Quadrant

IMPORTANT

Thank-you for choosing Merlyn. Please familiarise yourself with the fitting instructions before commencing fitting.

- 1 Check that you have the tools required
- 2 Check the installation site is compatible with size of door supplied
- 3 Check all the enclosure components
- 4 Check the installation kit is complete


DO NOT attempt to install the product unless you can tick **ALL 4** boxes above as satisfactory.

The wall plugs supplied with the installation kit are for use in solid walls. Hollow or 'stud-partition' walls will require alternative fixings. Please consult a hardware supplier for the correct type.

It may also be necessary to consult your tiling supplier about the correct method for drilling your tiles.

USE SAFETY EYEWEAR WHEN DRILLING

Any parts missing or damaged must be reported to your supplier within 5 days of purchase. Inspect shower enclosure before fitting no claims will be accepted after product has been installed.



THESE INSTRUCTIONS APPLY TO BOTH THE OFFSET QUADRANT AND QUADRANT

ASSEMBLE FIXED PANEL AND FRAME



900 x 760 is in 1 Box


BOX 2 fixed panel


BOX 1 door & panel

INTERNAL VIEW


EXTERNAL VIEW








PRODUCT SUPPLIED AS RIGHT-HAND OPENING.
REMOVE AND REFIT WHEEL UNITS FROM TOP
TO BOTTOM AND TURN FRAME 180° TO
EFFECT LEFT-HAND OPENING




TOP ROLLER
ADJUSTMENT




INTERNAL
VIEW


FIX
UPRIGHT
TO WALL
PROFILE
IN 4
PLACES
EQUALLY
SPACED
BOTH
SIDES





BOTTOM ROLLER
ADJUSTMENT



PRESS DOWN TO
ENGAGE OR RELEASE







SERIES 5+ | DOOR QUADRANT & | DOOR OFFSET QUADRANT

WE ARE SURE YOU WILL BE PLEASED WITH YOUR NEW MERLYN SHOWER DOOR.

Where a shower door has been installed contrary to these instructions, Merlyn cannot accept responsibility for any loss or damage, however caused, and any on-site service may incur a charge.

www.merlynbathrooms.com 00 353 56 7791555